

Hong Kong Feat In Technology

香港飛英科技

Ophthalmic Instruments

Product Catalogue

Hong Kong Feat In Technology

香港飛英科技

HK Feat In Tech. is dedicated to offering a broad range of surgical instruments, including ENT, hair implant, ophthalmic and plastic surgery instruments. For 20 years, our products help surgeons from all around the world to deliver their best performance.

In this catalogue, you can find our ophthalmic product line for cataract, vitreoretinal and refractive surgery. We provide the latest design of ophthalmic instruments, maintaining high quality of every single product to satisfy the needs of surgeons.

Our customer service team promises prompt response to enquiry, on time delivery of products and repair service on instruments. We are happy to discuss the creation of tailor-made instruments to suit your specific needs.

Contact Us

Office address: Room 1712A, 17/F, Witty Commercial Building, 1A Tung Choi Street, Kowloon, Hong Kong

Tel  +852 5346 9889/ +852 9220 5192/ +852 9438 9321

Email: hkfeatin@gmail.com

Website: www.852featin.com

Facebook: www.facebook.com/hongkongfeatintech



Contents

Scissors	Page 1
Capsulorhexis Forceps.....	Page 7
Forceps.....	Page 8
Needle holders.....	Page 20
Sapphire Knives.....	Page 22
Choppers, Hooks and Spatulas.....	Page 23
Fixation Rings and Markers.....	Page 26
Speculums.....	Page 28
Irrigation and Aspiration	Page 29
Vitreo Retinal Instruments.....	Page 32
Miscellaneous Instruments.....	Page 33

Scissors

Mcpherson-Westcott Conjunctiva Scissors

8003001



Curved, blunt tips, 10.5mm from tip to pivot, 102mm length

Conjunctiva Scissors

8003002



Gently curved blades, 12mm from tip to pivot, 115mm length

Osher Universal Scissors

8003003



Thin curved, blunt tips, 21mm from tip to pivot, 115mm length

Castroviejo Corneal Section Scissors

8003004 left

8003005 right



blunt tips, lower blade is 0.5mm longer than the upper blade, 13mm from tip to pivot, 108mm length

Castroviejo Keratoplasty Scissors

8003006



Universal with blunt angled blades, lower blade is longer than the upper blade, 16mm from tip to pivot, 108mm length

Castroviejo Curved Corneal Scissors

8003007



Universal medium model with blunt tips, 16mm from tip to pivot, 116mm length

Castroviejo Corneal Scissors

8003008



Curved, blunt tips, small blades, 102mm length

Scissors

Castroviejo Corneal Scissors

8003009



16mm from tip to pivot, 115mm length

Castroviejo Corneal Scissors

8003010



blunt tips, curved blades, 11mm from tip to pivot, 115mm length

Castroviejo Curved Scissors

8003011



blunt tips, curved blades, 11mm from tip to pivot, 102mm length

Castroviejo Corneal Scissors

8003012



blunt tips, 11mm from tip to pivot, 102mm length

Iris Scissors

8003013



Sharp tips, straight blades, cutting length 4mm, blade length 11mm, 100mm length

Iris Scissors

8003014



Sharp tips, curved blades, cutting length 4mm, blade length 11mm, 100mm length

Iris Scissors

8003015



Sharp tips, curved blades, blade length 11mm, 102mm length

Scissors

Iris Scissors

8003016



Sharp tips, blade length 11mm, 102mm length

Westcott Stitch Scissors

8003018



Very sharp pointed tips, 19mm from tip to pivot, 115mm length

Mcperson-Westcott Stitch Scissors

8003019 115 mm length

8003020 140mm length



sharp pointed tips, 13mm from tip to pivot

Westcott Tenotomy Scissors

8003021



Curved blunt tips, 21mm from tip to pivot, 115mm length

Westcott Tenotomy Scissors

8003022



Curved blunt tips, 19mm from tip to pivot, 115mm length

Eye Scissors

8003023 straight

8003024 curved



Pointed tips, 32 mm from tip to pivot, 110mm length

Scissors

Vannas Capsulotomy Scissors

8003025 10.5mm blades

8003026 12.5mm blades

8003027 16mm blades



Sharp pointed tips, straight blades, 102mm length

Capsulotomy Scissors

8003028 10.5mm blades

8003029 12.5mm blades

8003030 16mm blades



Sharp pointed tips, curved blades, 102mm length

Vannas Capsulotomy Scissors

8003031 10.5mm blades

8003032 12.5mm blades

8003033 16mm blades



Sharp pointed tips, angled blades, 102mm length

Vannas Scissors

8003034



sharp pointed tips, straight 7.5mm blades, 9.5 mm from tip to pivot, 82mm length

Vannas Scissors

8003035



sharp pointed tips, curved 7.5mm blades, 9.5 mm from tip to pivot, 82mm length

Vannas Scissors

8003036



Sharp pointed tips, angled to side 7mm blades, 9.5mm from tip to pivot, 82mm length

Spring Scissors

3002020



Stainless steel, straight, 27 mm from tip to pivot, 112mm length

Scissors

Spring Scissors

8003020S



Titanium, 27mm from tip to pivot, 112mm length

Corneal Scissors

E3320B



Stainless steel, sharp tips, curved blades, 105mm length

Westcott Scissors

E3321



Stainless steel, sharp tips, curved blades, 21mm from tip to pivot, 115mm length

Corneal Scissors

66301 straight

66301A curved



Stainless steel, sharp tips, 17mm from tip to pivot, 120mm length

Capsulotomy Scissors

66304B



Stainless steel, extra thin blades, curved 10mm blades, 118mm length

Scissors

Capsulotomy Scissors

66306C



Stainless steel, extra thin blades, angled 16mm blades, 125mm length

Vannas Scissors

66309A 10mm from tip to pivot

66309L 12mm from tip to pivot



Stainless steel, straight blade, 85mm length

Vannas Scissors

66309B



Stainless steel, sharp, curved 6mm blades, 85mm length

Foldable Lens Cutter

8003061



Cross action, 12mm angled shaft, 112 length

Capsulorhexis Forceps

Capsulorhexis Forceps

800712C

13mm curved shaft

1.0mm spaced marks

Length 115mm



Capsulorhexis Forceps

800714

13mm angled shafts

Length 115mm



Capsulorhexis Forceps

800716B

13mm curved shafts

Length 105mm

Cross action



Capsulorhexis Forceps

800716C

13mm curved shafts

Length 125mm

Cross action



Capsulorhexis Forceps

800716G

13mm curved shafts

Length 120mm



Cross action



Forceps




85mm Long



Straight Tying Forceps		Straight Toothed Forceps		Straight Notched Forceps		Straight Suture Forceps	
							
Tips		Teeth		Tips		Teeth	
8001001	Standard	8001003	0.12mm	8001005	Standard	8001007	0.12mm
8001002	Ultrafine	8001004	0.10mm	8001006	Ultrafine	8001008	0.30mm
Straight shafts with 4.5mm platforms		1x2 teeth with 5mm platforms		0.25mm notched with platforms		1x2 teeth with 5mm platforms	





102mm Long



Straight Tying Forceps		Straight Toothed Forceps		Straight Notched Forceps		Straight Suture Forceps	
							
Tips		Teeth		Tips		Teeth	
8001017	Standard	8001019	0.12mm	8001021	Standard	8001023	0.12mm
8001018	Ultrafine	8001020	0.10mm	8001022	Ultrafine	8001024	0.30mm
Straight shafts with 4.5mm platforms		1x2 teeth with 5mm platforms		0.25mm notched with platforms		1x2 teeth with 5mm platforms	

108mm Long




Straight Tying Forceps		Straight Toothed Forceps		Straight Notched Forceps		Straight Suture Forceps	
							
Tips		Teeth		Tips		Teeth	
8001025	Standard	8001027	0.12mm	8001029	Standard	8001031	0.12mm
8001026	Ultrafine	8001028	0.10mm	8001030	Ultrafine	8001032	0.30mm
Straight shafts with 4.5mm platforms		1x2 teeth with 5mm platforms		0.25mm notched with platforms		1x2 teeth with 5mm platforms	

Forceps


115mm Long



Straight Tying Forceps		Straight Toothed Forceps		Straight Notched Forceps		Straight Suture Forceps	
							
Tips		Teeth		Tips		Teeth	
8001049	Standard	8001051	0.12mm	8001053	Standard	8001055	0.12mm
8001050	Ultrafine	8001052	0.10mm	8001054	Ultrafine	8001056	0.30mm
Straight shafts with 4.5mm platforms		1x2 teeth with 5mm platforms		0.25mm notched with platforms		1x2 teeth with 5mm platforms	

120mm Long



Straight Tying Forceps		Straight Toothed Forceps		Straight Notched Forceps		Straight Suture Forceps	
							
Tips		Teeth		Tips		Teeth	
8001057	Standard	8001059	0.50mm	8001061	Standard	8001063	0.50mm
8001058	Ultrafine	8001060	0.30mm	8001062	Ultrafine	8001064	0.30mm
Straight shafts with 4.5mm platforms		1x2 teeth with 5mm platforms		0.25mm notched with platforms		1x2 teeth with 5mm platforms	

Forceps

85mm Long



Mcperson Tying Forceps			Kelman-Mcperson Toothed Forceps			Angled Notched Forceps		
 <p>Tips</p>			 <p>Tips</p>			 <p>Tips</p>		
8001065	Standard	12mm	8001070	Standard	12mm	8001074	Standard	12mm
8001066	Ultrafine	5mm	8001071	Ultrafine	7mm	8001075	Ultrafine	7mm
8001067	Ultrafine	7mm	8001072	Ultrafine	10mm	8001076	Ultrafine	10mm
8001068	Ultrafine	10mm	8001073	Ultrafine	12mm	8001077	Ultrafine	12mm
8001069	Ultrafine	12mm						
Angled shafts with 4.5mm platforms			1x2 teeth 0.12mm with 5mm platforms			0.25mm notched with platforms		

102mm Long



Mcperson Tying Forceps			Kelman-Mcperson Toothed Forceps			Angled Notched Forceps		
 <p>Tips</p>			 <p>Tips</p>			 <p>Tips</p>		
8001078	Standard	12mm	8001082	Standard	12mm	8001086	Standard	12mm
8001079	Ultrafine	7mm	8001083	Ultrafine	7mm	8001087	Ultrafine	7mm
8001080	Ultrafine	10mm	8001084	Ultrafine	10mm	8001088	Ultrafine	10mm
8001081	Ultrafine	12mm	8001085	Ultrafine	12mm	8001089	Ultrafine	12mm
Angled shafts with 4.5mm platforms			1x2 teeth 0.12mm with 5mm platforms			0.25mm notched with platforms		

Curved Tying Forceps

length

8001114	85mm
8001115	102mm
8001116	115mm



Curved shafts with 6mm tying platforms for 10 / O or 12 / O suture

Forceps


75mm Long



Colibri Toothed Forceps	Colibri Suture Forceps	Pierse-Colibri Corneal Forceps
<p>8001117</p>  <p>1x2 teeth, 0.12mm with platforms</p>	<p>8001118</p>  <p>1x2 teeth, 0.12mm with platforms</p>	<p>8001119</p>  <p>0.25mm notched with platforms</p>


85mm Long



Colibri Toothed Forceps	Colibri Suture Forceps	Pierse-Colibri Corneal Forceps
<p>8001120</p>  <p>1x2 teeth, 0.12mm with platforms</p>	<p>8001121</p>  <p>1x2 teeth, 0.12mm with platforms</p>	<p>8001122</p>  <p>0.25mm notched with platforms</p>


Bishop-Harmon Tissue Forceps

8001123



1x2 teeth, 0.4mm, delicate, 85mm length

8001124



1x2 teeth, 0.6mm, delicate, 100mm length

Forceps

Polack Corneal Suturing Forceps



1x2 teeth




0.25mm notched

8001125 1x2 teeth, colibri style, two 2.75mm tips, 1mm separated, 75mm length

8001127 0.25mm notched, colibri style, two 2.75mm tips, 1mm separated, 75mm length

Polack Corneal Suturing Forceps



1x2 teeth




0.25mm notched

8001126 1x2 teeth, colibri style, two 2.75mm tips, 1mm separated, 108mm length

8001128 0.25mm notched, colibri style, two 2.75mm tips, 1mm separated, 108mm length

Tying Forceps

8001001B



0.2mm tips with 5mm platforms, 85mm length

Bishop-Harmon Forceps


8001123B



1x2 teeth, 0.8mm tips, 85mm length

Helveston Fixation Forceps

8001382




1x2 teeth, 0.5mm tips with lock, 118mm length

Forceps

Suture Forceps


88201C45



1x2 teeth, 0.12mm tips, 110mm length

Tooth Forceps


88201C90



1x2 teeth, 0.12mm tips, 110mm length

Tying Forceps


FN3001



Stainless steel, 0.12mm tips with 6mm platforms, 109mm length

Angled Mcpherson Forceps

88205



Angled shafts 7mm, 109mm length

Angled Mcpherson Forceps

E1815AK



Angled shafts 7mm, 85mm length

Forceps

Putterman Muscle Forceps

887012 jaw width 24mm

887012w jaw width 28mm



Fixation Ring Forceps

8001201B



Ring diameter 1.0mm, 85mm length

Scleral Plug Forceps

80011227B



Cross action for 23G, 118mm length

Superior Rectus Forceps

8001365 Titanium

3001365 Stainless steel



1.0mm tip, 1x2 teeth, 105mm length

Perke Ptosis Forceps

8001383



20mm jaw length with lock

Moorfield Forceps

0101543 Stainless steel

0101543T Titanium



Serrated tips, 100mm length

Forceps

Tying Forceps Heavy


T1887 Titanium
3001887 Stainless steel



Blunt tips, 106mm length

St. Martin Tooth Forceps

F-82 Titanium
SF-82 Stainless steel



1 x 2 teeth, 0.3mm tips

Prechopper

8002817 Titanium



IOL loading forceps

FN450H



Lens Forceps

8001201



Curved shafts with 1mm ring tips, 108mm length

Forceps

Kratz Style Lens Forceps


8001202



Curved narrow smooth jaws, delicate, 108mm length

Jaffe-Blaydes Lens Forceps

8001203



Narrow smooth jaws, 30-degree angled, delicate, 108mm length

Blaydes Angled Lens Forceps

8001204



45-degree angled shafts with smooth flat jaws, 108mm length

Shepard Lens Forceps

8001205



Gently curved shafts with flat tungsten carbide coated jaws, 108mm length

Anis Lens Forceps

8001206



9mm smooth jaws, 45-degree angled, extra delicate, 115mm length

Lens Folding Forceps

8001207



Angled shafts, 1mm x 2mm dentation jaws, 108mm length

Forceps

Lens Folding Forceps


8001208



Angled shafts, used for 5.5mm/6.0mm IOLs, 108mm length

Kelman-Mcpherson Lens Forceps

8001209



Smooth jaws for holding IOL, 120mm length

Lens Implantation Forceps

8001210




Curved smooth jaws, 108mm length

Lens Implantation Forceps

8001212 without lock

8001213 with lock




Cross action, smooth and curved jaws, 108mm length

Lens Implantation Forceps

8001214 without lock

8001215 with lock




Cross action, thin jaws, 108mm length

Lens Implantation Forceps

8001216 without lock

8001217 with lock



Ultra-fine and well-rounded blades, thin jaws with convex inner surfaces, 108mm length

Forceps

Jeweler Forceps

8001228



0.5mm tips, 120mm length

Jeweler Forceps

8001229



0.6mm tips, 120mm length

Jeweler Forceps

8001230



0.6mm tips, 120mm length

Jeweler Forceps


8001231



0.6mm tips, 120mm length

Fechtner Conjunctiva Forceps

8001234



delicate ring tips, with tying platforms, 108mm length

Chalazion Forceps



8001235
Round 8mm
98mm length



8001236
Round 15mm
98mm length



8001237
Oval 12x14mm
98mm length



8001238
Oval 14x6mm
98mm length

Forceps

Hartman Curved Hemostatic Mosquito Forceps

Straight	Curved	Length
8002030	8002031	95mm
8002032	8002033	130mm



Landers Vitrectomy Lens Forceps

8001226



45-degree angled shafts, curved grooved blades, 115mm length

Cilia Forceps

G530H




110mm length

Needle Holders


Curved Needle Holder

With lock	Without lock	Tips length	Overall Length
8002001	8002002	6.0mm	106mm
8002003	8002004	9.0mm	109mm
8002005	8002006	10.0mm	110mm
8002007	8002008	12.0mm	112mm
8002009	8002010	16.0mm	116mm




Straight Needle Holder

Without lock	Tips length	Overall Length
8002011	6.0mm	106mm
8002012	9.0mm	109mm




Curved Needle Holder

Without lock	Tips length	Overall Length
8002013	6.0mm	106mm
8002014	9.0mm	109mm
8002015	10.0mm	110mm
8002016	12.0mm	112mm
8002017	16.0mm	116mm




Curved Needle Holder

With lock	Without lock	Tips length	Overall Length
8002018	8002019	12.0mm	136mm
8002020	8002021	14.0mm	138mm
8002022	8002023	15.0mm	140mm



Straight Needle Holder

With lock	Without lock	Tips length	Overall Length
8002024	8002025	12.0mm	136mm
8002026	8002027	14.0mm	138mm
8002028	8002029	16.0mm	140mm



Needle Holders

Silcock Needle Holder

55115



Stainless steel, with lock, 145mm length

Kalt Needle Holder

55120 Stainless steel

8002120 Titanium







Stainless steel, with lock, 112mm length

Sapphire Knives

Sapphire Knife



Different shapes of sapphire knife head

<p>C-15 MVR blade</p>   <p>Degrees: 15° Width: 1.0mm, 1.2mm Length: 8.7mm</p>	<p>C2-15 Side stab blade</p>   <p>Degrees: 15° Width: 1.0mm Length: 5.5mm</p>	<p>E1 Double-edge blade</p>   <p>Degrees: 45°, 60° Width: 1.0mm - 3.2mm Length: 5mm</p>
<p>E2 Crecent blade</p>   <p>Width: 1.8mm – 2.8mm Length: 5mm</p>	<p>E3 Trapezoid blade</p>   <p>Degrees: 60° Width: 5.2mm, 5.5mm Length: 5.6mm</p>	<p>E4 Clear cornea blade</p>   <p>Degrees: 45°, 60° Width: 1.0mm - 3.2mm Length: 5mm</p>

Knife handle



Knife handle is used to install sapphire knife head

Adjustable length: from 110mm to 130mm

Weight: 20g



Titanium

Sapphire Knives

Disposable Sapphire Knife



Different shapes of sapphire knife head

JE1 Double-edge blade	JE2 Crecent blade	JE3 Trapezoid blade		
 <p>Degrees: 45° Width: 2.8mm, 3.0mm Length: 4mm-4.5mm</p>	 <p>Degrees: 45° Width: 2.0, 2.2, 2.6, 2.8mm Length: 4mm-4.5</p>	 <p>Degrees: 45° Width: 5.0mm, 5.5mm Length: 5.5mm-6mm</p>		
<th data-bbox="363 1559 815 1655"> JC-15 MVR blade </th> <td data-bbox="815 1559 1272 2083"> <th data-bbox="815 1559 1272 1655"> JC2-15 Side stab blade </th> <td data-bbox="1272 1559 1484 2083"></td> </td>	JC-15 MVR blade	<th data-bbox="815 1559 1272 1655"> JC2-15 Side stab blade </th> <td data-bbox="1272 1559 1484 2083"></td>	JC2-15 Side stab blade	
 <p>Degrees: 15°-18° Width: 1.0mm-1.2mm Length: 2.3mm-2.5mm</p>	 <p>15° Degrees: 15°, 19°, 23° Width: 1.0mm - 1.2mm Length: 5mm-5.5mm</p>			

Choppers, Hooks and Spatulas

Lens Manipulating Hook



Different shapes of tip

Straight	8005001	8005003	8005005	8005007	8005009	8005011
Angled	8005002	8005004	8005006	8005008	8005010	8005012
Straight	8005013	8005015	8005017	8005019	8005021	8005023
Angled	8005014	8005016	8005018	8005020	8005022	8005024

Phaco Chopper



Different shapes of tip

8005025 (tip 1.5mm)	8005026 (tip 1.25mm)	8005027 (tip 1.75mm)	8005028 (tip 1.95mm)	8005029 Ball tip
8005030 Water drop shaped	8005031 Curved blade	8005032 Sickle shaped	8005033 B-shaped	8005035 Paddle shaped

Choppers, Hooks and Spatulas

Phaco Chopper and Rotator

8005038



1.45mm tips, 10mm angled shaft

Multi-Edge Phaco Chopper

88224F



1.45mm tip, 10mm angled shaft

Retina Hook



Lasik Spatula

8010001A



Double-ended

Laser Flat Lifter and Retreatment Spatula

T7007



Double-ended

Repositor

	Tip
8005045	0.7mm
8005046	0.5mm



Synechia spatula semi-sharp tip

Retinal Detachment Hook

8005050



1.5mm oval hole, flatten, 13mm tip

Choppers, Hooks and Spatulas

Kansas Lens Loop


- 8005047 3 x 8 mm
- 8005048 3 x 9.5 mm
- 8005049 5 x 6 mm



118mm length

Vectis Lens Loop

52488C



3 X 8 mm, 118mm length

Helveston Muscle Hook

- 8005051 8 mm
- 8005052 10 mm
- 8005053 12 mm



Delicate muscle hook with blunt spatulated tip

Muscle Hook

- 8005076 Waves
- 8006351 Ball-tip
- 8006352 Column



Took Knife

800286B



Spatula

TE 0706B



Scleral Depressor

1404304



Fixation Rings and Markers

Fixation Ring
8005054



Diameter 16mm

Fixation Ring

8005055 13mm /11mm cut out
8005056 16mm/11mm cut out



Fixation Ring

8005056A 13mm/9mm cut out



Fixation Ring

8005057D Titanium
5057D Stainless steel



Diameter 15mm, 2/3 ring

Fixation Ring

8005058D



Diameter 12mm, 5/6 ring

Fixation Ring

8005903



Diameter 16mm, length 105mm

Fixation Ring

3005060



Stainless steel, C-shaped 7mm cut out, diameter 13mm

Fixation Ring

3005062



Stainless steel, C-shaped 9mm cut out, diameter 13mm

Fixation Rings and Markers

Fixation Ring and Degree Gauge with teeth

8008401N



0° - 180° marking on one side, teeth on the other side

Toric Marker 2 claws

8008402M2



Markers

8006026: 4 blades

8006028: 6 blades

8006030: 8 blades

8006032: 12 blades

8006034: 16 blades



Marker

3540



3.5mm/4.0mm, titanium

Fixation Ring

8005110 50mm length




8005111 53 length

8005112 55 length



Stainless steel

Speculums

<p>8004001</p>  <p>14mm blade</p>	<p>8004004</p>  <p>14mm blade</p>
<p>8004005</p>  <p>15mm blade</p>	<p>8004006</p>  <p>10mm blade</p>
<p>8004007</p>  <p>14mm blade</p>	<p>8004008</p>  <p>15mm blade</p>
<p>8004010</p>  <p>15mm blade</p>	<p>8004011</p>  <p>14mm blade</p>
<p>8004012</p>  <p>10mm blade</p>	<p>8004013</p>  <p>15mm blade</p>
<p>8004015</p>  <p>15mm V-shape blade</p>	<p>8004016</p>  <p>10mm blade</p>
<p>3004015</p>  <p>Stainless steel, 15mm V-shape blade</p>	<p>3004016</p>  <p>Stainless steel, 10mm blade</p>

Irrigation and Aspiration

I/A Handpiece



8007001A	8007003A	8007005A
 <p data-bbox="124 775 520 846">Straight tip: 0.3mm aspiration port, 16G irrigation cannula</p>	 <p data-bbox="584 775 970 846">Curved tip: 0.3mm aspiration port, 16G irrigation cannula</p>	 <p data-bbox="1038 725 1469 797">Angled 45-degree tip: 0.3mm aspiration port, 16G irrigation cannula</p>
8007007A		8007009A
 <p data-bbox="124 1081 632 1153">Angled 90-degree tip: 0.3mm aspiration port, 16G irrigation cannula</p>		 <p data-bbox="810 1081 1449 1200">Binkhorst tip: 150-degree return 0.3mm open end, 12 o'clock return is designed for a 3mm wound insertion. 16G irrigation cannula</p>

I/A Handpiece



8007011B	8007012B	8007013B
 <p data-bbox="124 1742 480 1861">Silicone sleeve tip (straight): 0.3mm aspiration port, 21 G irrigation cannula</p>	 <p data-bbox="584 1742 930 1861">Silicone sleeve tip (curved): 0.3mm aspiration port, 21 G irrigation cannula</p>	 <p data-bbox="1038 1742 1422 1861">Silicone sleeve tip (45 degree): 0.3mm aspiration port, 21 G irrigation cannula</p>

Irrigation and Aspiration

Infusion Handpiece




8006017 male/male



8006018 male/female

Irrigation Handpiece

8008652



23G (0.6mm), 13mm shaft curved, 105mm length

Aspiration Handpiece

8008657



23G (0.6mm), 13mm shaft curved, 105mm length


Infusion Lens Loop

8006014	8006015	8006016
3X8mm, 40mm length	5X7mm, 40mm length	3X12mm, 40mm length

Simcoe I/A Cannula

8006020 (7#) 22G

8006020A (8#) 21G



Curved shaft 0.3mm aspiration tangled 90 degree tip, irrigation through hub, with silicone tube

Simcoe I/A Cannula

8006021 (6#) 23G

8006022 (7#) 22G

8006023 (8#) 21G



Curved shaft 0.25mm aspiration through main tube, irrigation through side taper, with silicone tube

Capsule Polisher

8009002



23G (6#), 1mm smooth bulbous tip

Infusion Cannula

8006110



23G (6#), 40mm length

Irrigation and Aspiration

Infusion Cannula

8006111



23G (6#), 90 degree curved, 33mm length

Infusion Cannula

8006112



23G (6#), 135 degree, 15mm tip, 38mm length

Infusion Cannula

8006113



23G (6#), 38mm length

Retrobulbar Cannula

8006115




25G (5#), beveled tip, 53mm length

Lacrimal Cannula

Aspiration port size

- 8006119A (5#) 0.2mm
- 8006119B (6#) 0.25mm
- 8006119C (7#) 0.3mm
- 8006119D (8#) 0.35mm
- 8006119E (9#) 0.4mm



Overall 78mm length

Bowan Lacrimal Probe Malleable

- 3006120A 11 -12
- 3006120B 9 - 10
- 3006120C 7 - 8
- 3006120D 5 - 6



Stainless steel, 134mm length

Infusion Cannula

8006116



18G, curved blunt tip, angled shaft 12mm, 35mm length

Infusion Cannula

8006117



18G, flattened blunt tip, angled 150 degree shaft 14mm,
39mm length

Anterior Chamber Maintainer

8006019



Infusion Cannula

8006118



25G, double armed, 8 irrigating ports

Vitreo-Retinal Instruments

Handles

Two types of handles for Vitreo-Retinal Scissors



1. All-In-One Handle

- Squeeze handle enables precise grasping and cutting with 2 fingers
- Titanium handle, hardened stainless steel head, 140mm length



2. Advanced Handle

- Interchangeable head
- Squeeze handle enables precise grasping and cutting with 2 fingers
- 360-degree rotation of heads without changing hand positioning
- One handle for the set
- Titanium handle, hardened stainless steel head, 140mm length

Scissor Heads

Gauge Size: 20G/23G/25G

Vertical Scissors	Horizontal Micro Scissors, Straight	Horizontal Micro Scissors, Curved	IOL cutter
			
1. 8008022A 2. 8009022	1. 8008024A 2. 8009024	1. 8008026A 2. 8009026	1. 8008028A 2. 8009028

Vitreo Retinal Instruments

Vitreo-Retinal Forceps

Two types of handles for Vitreo-Retinal Forceps

1. All-In-One Handle




2. Advanced Handle



Forceps Heads

Gauge size: 20G/23G/25G

Curved Forceps	Serrated Gripping Forceps	ILM Gripping Forceps	Pick Retinal Forceps	Gripping Forceps
 <p>1. 8008001A 2. 8009001</p>	 <p>1. 8008003A 2. 8009003</p>	 <p>1. 8008005A 2. 8009005</p>	 <p>1. 8008007A 2. 8009007</p>	 <p>1. 8008009A 2. 8009009</p>
Tying Forceps With Platform	Micro-Tying Blunt Forceps	Micro-Tying Sharp Forceps	Toothed Forceps (1x2teeth)	IOL Scleral Fixation Forceps
 <p>1. 8008011A 2. 8009011</p>	 <p>1. 8008013A 2. 8009013</p>	 <p>1. 8008015A 2. 8009015</p>	 <p>1. 8008017A 2. 8009017</p>	 <p>1. 8008019A 2. 8009019</p>
Round IOL Forceps		Spring Gripping Forceps		Foreign Body Forceps with Cup Jaws
 <p>1. 8008021A 2. 8009021</p>		 <p>1. 8008023A 2. 8009023</p>		 <p>1. 8008025A 2. 8009025</p>

Miscellaneous Instruments

Trabeculotome Set

8006012



9mm long pointed tips, 3mm separated

Needle Spud

300570



95mm length

Dilator (Stainless Steel)

56020 long taper

56022 short taper



Dilator (Titanium)

56022T



Double Hook

H40003-3



Jaw width 3mm, Length 130mm, Stainless steel

Membrane Punch

66332A




Diameter 1.0mm, stainless steel

Miscellaneous Instruments

Luntz-Dodick Trabeculectomy Punch

Tip Diameter

- 8006008 1.0mm
- 8006009 1.5mm
- 8006010 1.2mm



Hook

8006031



8006032



blunt tips

Eyelid Retractor

51450 width 8mm

51452 width 10mm

51454 width 12mm

51456 width 14mm



Curette

8005270 diameter 1.0mm

8005280 diameter 1.5mm

8005290 diameter 2.0mm,



Blade Breaker

8006005



Castroviejo Caliper

8006007



Measures from 0mm to 20 mm in 0.5mm increments with scale reading on one side

Miscellaneous Instruments

Caliper
309000A



Measures from 0mm to 20 mm in 0.5mm increments with scale reading on both sides

Titanium bulldog
9001018A



32mm length

Plastic Sterilization Tray with silicone mat

1410020 215 x 135 x 25 mm

1410021 160 x 90 x 25 mm

1410022 265 x 162 x 25 mm



Double Level Plastic Sterilization Tray with silicone mat

1410016 265 x 162 x 45 mm




Miscellaneous Instruments

Eye Shield

11001N non-sterile

11001 sterile



plastic, accommodates either eyes

Medical Sponge Point

13001 sterile

13002 non-sterile




PVA, triangular sponge

Medical Sponge Spear


13003 sterile

13004 non-sterile




PVA, triangular sponge with handle

Essential Cataract Set



1	Speculum	3004015	7	Irrigation Handpiece	8008652
2	Straight Notched Forceps	8001005	8	Aspiration Handpiece	8008657
3	Capsulorhexis Forceps	800714	9	Sapphire Knife	E4
4	Capsulorhexis Forceps	OR 800716G	10	Retrobulbar Needle	8006112
5	Phaco Chopper And Rotator	8005038	11	Moorfield Forceps	0101543T
6	Manipulating Hook	OR 8005009			

Advanced Cataract Set



1	Speculum	3004015	9	Sapphire Knife	E4
2	Straight Tying Forceps	8001001	10	Retrobulbar Needle	8006112
3	Straight Notched Forceps	8001005	11	Moorfield Forceps	0101543T
4	Capsulorhexis Forceps	800716G	12	Curved Micro Scissors	8003040
5	Phaco Chopper And Rotator	8005038	13	Straight Vannas Scissors	66309A
6	Manipulating Hook	8005009	14	Foldable Lens Cutter	8003061
7	Irrigation Handpiece	8008652	15	Angled Mcpherson Forceps	E1815AK
8	Aspiration Handpiece	8008657	16	Curved Needle Holder	8002023



Scan QR codes to discover more products

**Surgical
Instruments
Catalogue**




**Hair
Transplant
Instruments
Catalogue**



**Plastic
Surgery
Instruments
Catalogue**





Hong Kong Feat In Technology Company

香港飛英科技公司

Office address: Room 1712A, 17/F, Witty Commercial Building, 1A Tung Choi Street,
Kowloon, Hong Kong

Phone number: +852 5346 9889/ +852 9220 5192/ +852 9438 9321

Email: hkfeatin@gmail.com

Website: www.852featin.com

Facebook: www.facebook.com/hongkongfeatintech

**Your Trusted Partner for
Surgical Instruments**