

Hong Kong Feat In Technology

香港飛英科技

Surgical Instruments

Product Catalogue

Hong Kong Feat In Technology

香港飛英科技

HK Feat In Tech. is dedicated to offering a broad range of surgical instruments, including ENT, hair implant, ophthalmic and plastic surgery instruments. For 20 years, our products help surgeons from all around the world to deliver their best performance.

In this catalogue, you can find our product line for surgical instruments. We provide latest design of hair transplant instruments, maintaining high quality of every single product to satisfy the needs of surgeons.

Our customer service team promises prompt response to enquiry, on time delivery of products and repair service on instruments. We are happy to discuss about the creation of tailor-made instruments to suit your specific needs.

Contact Us

Office address: Room 1712A, 17/F, Witty Commercial Building, 1A Tung Choi Street, Kowloon, Hong Kong

Tel  +852 5346 9889/ +852 9220 5192/ +852 9438 9321

Website: www.852featin.com

Email: hkfeatin@gmail.com

Facebook: www.facebook.com/hongkongfeatintech



Contents

Scissors	Page 1
Forceps	Page 4
Needle Holder.....	Page 15
Bipolar Forceps.....	Page 18
Others.....	Page 19



Scissors

	<p>Iris Scissors(100mm) ZYB0901- straight sharp ZYB0901B- straight blunt</p>
	<p>Iris Scissors (100mm) ZYB0902 – curved sharp ZYB0902B-curved blunt</p>
 <p>round opening for suture removal</p>	<p>Suture Scissors ZYB0903- straight sharp, round opening on the blade for suture removal</p>
	<p>Surgical Scissors JC2101- 125mm (straight sharp) JC2107- 140mm (straight sharp) JC2104- 125mm (curved sharp) JC2110- 140mm (curved sharp)</p>

Scissors

	<p>Surgical Scissors JC2101- 125mm (straight sharp) JC2107- 140mm (straight sharp) JC2104- 125mm (curved sharp) JC2110- 140mm (curved sharp)</p>
	<p>Surgical Scissors (sharp blunt) JC2102- 125mm (straight) JC2108- 140mm (straight) JC2105- 125mm (curved) JC2111- 140mm (curved)</p>
	<p>Surgical Scissors JC2103- 125mm (straight blunt) JC2109- 140mm (straight blunt) JC2115- 160mm (straight blunt) JC2106- 125mm (curved blunt) JC2112- 140mm (curved blunt)</p>
	<p>Scissors 160mm JA2505- straight blunt JA2506- curved blunt</p>
	<p>Ribbon Scissors(110mm) S7-1125- curved blunt</p>

Scissors

	<p>Vannas Scissors(85mm) 66309L straight, 12mm pivot to tip</p>
	<p>Westcott Scissors(115mm) E3320 Curved sharp, 27mm tip to pivot</p>
	<p>Westcott Scissors(115mm) E3321 Curved tapered blades, 27mm tip to pivot</p>
	<p>Titanium Micro Scissors(150mm) 8003040- Curved</p>
	<p>Titanium Micro Scissors(150mm) 8003009D- straight</p>
	<p>Micro Side Curved Scissors(160mm) P60067</p>




Forceps

	<p>Artery forceps(125mm) ZH108 – straight ZH109- curved</p>
	<p>Artery forceps(125mm) ZH110 – straight ZH111-curved</p>
	<p>Mosquito forceps(95mm) JC3900-straight</p>
	<p>Mosquito forceps(95mm) JC3901-curved</p>
	<p>Artery Forceps(140mm) ZH144R – straight ZH145R- curved</p>


Forceps

 <p>FN3001-5</p>	<p>Castroviejo Fixation Forceps (110mm) FN3001-5: tip 0.5 FN3001-3: tip 0.3</p>
 <p>FN3005-3</p>	<p>Castroviejo Fixation Forceps(110mm) FN3005: 1x2 teeth, micro tip FN3005-3:1x2 teeth, 0.3mm FN3005-5:1x2 teeth, 0.5mm</p>
 <p>FN1030</p>  <p>T1050</p>	<p>Fixation Forceps FN1030- 140mm, tip 0.15mm</p> <p>Fixation forceps T1050: 150mm, tip 0.15mm</p>
 <p>XW1050</p>  <p>XW1060</p>	<p>Fixation Forceps XW1050(160mm)- tip 0.2mm</p> <p>Fixation forceps XW1060 (150mm)- tip 0.3mm</p>
 <p>8001070</p>	<p>Fixation forceps 8001070(150mm)- tip 0.2mm</p>

Forceps

 	 	<p>Iris forceps (100mm) F20001 -straight 1x2 teeth, tip 0.15mm F20002 -non-teeth, tip 0.15</p>
 	 	<p>Adson forceps (straight 1x2 teeth, 120mm) F20003 -tip 0.8mm F20005 -tip 0.6mm F20007 -tip 0.4mm Non teeth F20004 -tip 0.8mm F20006 -tip 0.6mm</p>
		<p>Eye Forceps (100mm) ZYB0601C-platform, tip 0.4mm</p>
		<p>Eye Forceps (100mm, 1x2 teeth) ZYB0602-tip 0.6 ZYB0602B-tip 0.4, teeth 0.2 ZYB0602C-tip 0.4, teeth 0.8 ZYB0602D-tip 0.4, teeth 0.4</p>
		<p>Eye Forceps(100mm, 1x2 teeth) ZYB0604-tip 0.6, teeth 0.4</p>

Forceps




Toothed Forceps(115mm)
8001051- straight, 1x2 teeth
0.12mm, 5mm platforms
8001052- straight, 1x2 teeth
0.1mm, 5mm platforms



Notched Forceps(115mm)
8001053- straight notched,
0.25mm notched, platforms




Tying Forceps(120mm)
8001057- straight, 4.5mm
platforms



Toothed Forceps(120mm)
8001059- straight 1x2 teeth
0.5mm, 5mm platforms

Forceps

	<p>Angled Forceps(110mm) 8001388-6-shaft 6mm 8001388-6A-shaft 8mm</p>
	<p>Forester Forceps(90mm) 8001389- curved 8001389A- big curved</p>
	<p>Jeweler Forceps(110mm) 8001341- straight</p>
	<p>Jeweler Forceps(120mm) 8001228- tips 0.5mm</p> <p>Jeweler Forceps(110mm) TS14</p>
	<p>Jeweler Forceps(120mm) 8001231-curved 8001231A-curved, serrated</p>

Forceps

	<p>Angled Mcpherson Forceps(85mm) 8001067-shafts with platforms, tip 7mm 8001068- shafts with platforms, tip 10mm 8001069- shafts with platforms, tip 12mm</p>
	<p>Angled Mcpherson Forceps(85mm) E1815AB E1815AK</p>
	<p>Angled Mcpherson Forceps(110mm) 3004310-1x2 teeth</p>
	<p>Angled Mcpherson Forceps(100mm) FN5-5049</p>
	<p>Angled Mcpherson Forceps(110mm) 88205-5mm platform</p>


Forceps

  8001235  8001236	Chalazion Forceps(98mm) 8001235 -round 8mm 8001236 -round 15mm
  8001237  8001238	Chalazion Forceps(98mm) 8001237 -oval 12x14mm 8001238 -oval 14x6mm


Forceps

 <p>The photograph shows a pair of blue metal forceps with serrated jaws. The technical drawing below it shows the tip of the jaws with a serrated edge.</p>	<p>Moorfield Forceps(107mm) 0101543T- serrated jaws</p>
 <p>The photograph shows a pair of blue metal forceps with serrated jaws. The number '8001386' is engraved on the handle. The technical drawing below it shows the tip of the jaws with a serrated edge.</p>	<p>Moorfield Forceps(105mm) 8001386- serrated</p>
 <p>The photograph shows a pair of silver metal forceps with a platform on the handle. The number '303070 A' is engraved on the handle. The technical drawing below it shows the tip of the jaws with a platform.</p>	<p>Tying Forceps(85mm) 303070A- 5mm platform</p>

Forceps

 <p>A pair of straight dressing forceps with serrated tips. The handle has a textured grip and the brand 'FN1386 CE' is visible on the lower handle. A small inset shows a magnified view of the serrated tip.</p>	<p>Dressing Forceps(105mm) FN1386-serrated</p>
 <p>A pair of angled forceps with curved tips. The handle has a textured grip. A small inset shows a magnified view of the angled tip.</p>	<p>Angled Forceps(115mm) FN1388-6: tip 0.6mm FN1388-8: tip 0.8mm</p>
 <p>A pair of straight dressing forceps with serrated tips. The handle has a textured grip. A small inset shows a magnified view of the serrated tip.</p>	<p>Dressing Forceps(105mm) FN1387- serrated</p>
 <p>A pair of angled forceps with curved tips. The handle has a textured grip. A small inset shows a magnified view of the angled tip.</p>	<p>Angled Forceps(120mm) FN1343-6: tip 0.6mm FN1343-8: tip 0.8mm</p>

Forceps

	<p>Tying Forceps(105mm) T1887-titanium, blunt tip E1887-stainless steel, blunt tip</p>
	<p>Adson-Brown Forceps(120mm) F20009- 7x7 teeth</p>
	<p>Adson Forceps(150mm) F20011- platform</p>
	<p>Debaquey Forceps(160mm) F20016</p>
	<p>Cilia Forceps (110mm) G530H</p> <p>Cilia Forceps (90mm) 53530: round tip, platform</p>

Forceps



Towel Forceps (100mm)
J35020



Towel Forceps(190mm)
J35020B- ball tip







Towel Forceps(85mm)
J45020



Sponge Forceps
JC6010- 180mm
JC6030- 240mm



Needle holder

 		<p>Needle holder(130mm) N30001F-serrgated N30001S-smooth surface</p>
		<p>Needle holder(140mm) N30002-serrgated</p>
		<p>Needle holder(130mm) N30006S-smooth surface, bigger tip N30008-smooth surface</p>
 <p>Serrated surface for holding needle</p> <p>Blade for cutting</p>		<p>Needle holder with scissors N30008- 130mm N30011- 145mm</p>
		<p>Needle holder(130mm) N30021-serrgated</p>

Needle Holder

 <p>A blue curved needle holder with a locking mechanism. The number 8002020 is engraved on the handle. A small diagram of the needle tip is shown to the left.</p>	<p>Needle holder(140mm) 8002020-curved with lock</p>
 <p>A blue curved needle holder without a locking mechanism. The number 8002021 is engraved on the handle. A small diagram of the needle tip is shown to the left.</p>	<p>Needle holder(140mm) 8002021-curved</p>
 <p>A blue curved needle holder with a locking mechanism. The number 8002023 is engraved on the handle. A small diagram of the needle tip is shown to the left.</p>	<p>Needle holder(140mm) 8002023-curved, inner surfaces roughened</p>
 <p>A blue straight needle holder with a locking mechanism. The number 8002028 is engraved on the handle. A small diagram of the needle tip is shown to the left.</p>	<p>Needle holder(140mm) 8002028-straight with lock, inner surfaces roughened</p>

Needle Holder

 <p>A curved needle holder with a long, thin handle and a curved tip. The handle has a textured grip section. A small diagram of the tip is shown below the main image.</p>	<p>Curved Needle Holder(135mm) 3002016</p>
 <p>A curved needle holder with a long, thin handle and a curved tip. The handle has a textured grip section. The number 3002321 is visible on the handle. A small diagram of the tip is shown below the main image.</p>	<p>Curved Needle Holder(120mm) 3002321</p>
 <p>A curved needle holder with a long, thin handle and a curved tip. The handle has a textured grip section. A small diagram of the tip is shown below the main image.</p>	<p>Curved Needle holder 0102009- 135mm 0102009B-125mm</p>
 <p>A curved needle holder with a long, thin handle and a curved tip. The handle has a textured grip section. A small diagram of the tip is shown below the main image.</p>	<p>Curved Needle holder(115mm) 9230A</p>

Bipolar Forceps



**Bipolar Forceps
6001**



**Bipolar Forceps
8006001S**

Others



High Frequency Electrosurgical Unit

DGD300B-2

Function:

- A) Monopolar Cut (150W-300W)
- B) Monopolar Coag (Point-120W Spread-100W)
- C) Bipolar Coag (70W)



Centrifuge

DL50

- Max speed: 5500r/min
- Dimension: 460mmx590mmx420mm
- Capacity: 4x500ml
- Power: 220V, 50Hz
- Net weight: 45kg



Centrifuge

TD6K

- Max speed: 6000r/min
- Dimension: 340x400x270mm
- Capacity: 6x50ml
- Power: 220V, 50Hz
- Net weight: 25kg

Others



Plastic Sterilization Tray with silicone mat

1410020 215 x 135 x 25 mm

1410021 160 x 90 x 25 mm

1410022 265 x 162 x 25 mm



Double Level Plastic Sterilization Tray with silicone mat

1410016 265 x 162 x 45 mm



BP Handle

J11010: #3



J11010R: #3 and #4



Scan QR codes to discover more products

**Ophthalmic
Instruments
Catalogue**



**Hair
Transplant
Instruments
Catalogue**



**Plastic
Surgery
Instruments
Catalogue**

